



6/IDS
P. White
4-28-03

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Arake et al.

Serial No.: 09/985,119

Filed: November 11, 2001

For: ANALYZING APPARATUS

Group: 2863

Examiner: Xiuquin Sun

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner of Patents
Washington, D.C. 20231

21 April 2003

Sir:

In accordance with the provisions of 37 C.F.R. 1.56, 1.97 and 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached Form PTO-1449. It is respectfully requested that the references be expressly considered during the prosecution of this application, that the references be made of record therein, and that the references appear among the "References Cited" on any patent to issue therefrom.

The following materials (each copy thereof is attached herewith) are cited during the examination in the Japanese PTO, of the corresponding Japanese patent application.

- (1) Japanese Patent Laying-Open No. Sho 64-003716 (1983);
- (2) Japanese Patent Laying-Open No. Bel 11-082865 (1999);
- (3) Japanese Patent Laying-Open No. 200G—200294 (2000); and
- (4) "Introduction of Fluorescence X—Ray Analyzer RIX3000 and RIX300I" by Rigaku Industrial Corporation, ESI—NEWS Vol. 14, No, 2, 1996.

The following comments regarding such reference have been supplied by Applicant's foreign representative.

JP-A 64-003716

This discloses an automatic analyzer comprising an uninterruptible power supplying apparatus (UPS) therein, and memorizing analysis information in a memory when an interruption occurs. As can be seen from Fig. 1 of the specification, it is made on an assumption that the entire of analyzer is back-upped by the uninterruptible power supplying apparatus (UPS). According to the invention disclosed therein, there are disclosed two (2) cases and automated interruption processing corresponding thereto, i.e., (1) when the electricity recovers within a time period during when the UPS is able to supply the electric power, and (2) when the electricity does not recover within that time (especially, see Fig. 2). Thus, in this, the analysis information is memorized in the memory when a microprocessor determines that the time duration of a power interruption exceeds a predetermined time t_w .

However, in the invention disclosed in this prior art, it is assumed that the entire analyzer is back-upped by the UPS. Such is disadvantageous in that a UPS's expense is related to its size/capacity, i.e., the larger the capacity, the higher in the price. With this prior art, if the entire of analyzer is not sufficiently back-upped by the UPS, the analyzer stops the analyzing operation even when an instantaneous interruption occurs, and it cannot turn back to the condition when the interruption occurs.

JP-A 11-83865

This prior art is also made on an assumption that the entire system is back-upped by the UPS (see Fig. 5, electric power source portion 53), and accordingly,

appears to be the same as the above-mentioned reference. There is no disclosure about the unmanned or automatic operation of the analyzer, in particular, when the instantaneous interruption occurs.

JP-A 2000-200194 and "Introduction of Fluorescence X-Ray Analyzer RIX3000 and RIX3001"

Those two materials show only that an initialization, setting operation, and aging are conducted in a starting time of an automatic analyzing in an automatic analyzer having a X-ray tube therein.


This Information Disclosure Statement is being filed after receipt of the first Official Action but before a Final Action. Submitted concurrently herewith is a Form PTO-2038 authorizing payment of the requisite filing fee under 37 CFR §1.97(c). Please charge any shortage in fees due in connection with the filing of this paper to ATS&K Deposit Account 01-2135 (as Order No. 40814X00).

Respectfully submitted,



Paul J. Skwierawski, Registration No. 32,173
ANTONELLI, TERRY, STOUT & KRAUS, LLP
1300 North Seventeenth Street, Suite 1800
Arlington, Virginia 22209-3801, USA
Telephone 703-236-6080
Facsimile 202-296-1682

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.



Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet 1 of 2

Complete if Known

Application Number	09/985,119
Filing Date	November 1, 2001
First Named Inventor	ARAKE, AKIRA
Art Unit	
Examiner Name	
Attorney Docket Number	520.40814X00

U.S. PATENT DOCUMENTS

Examiner Initials ¹	Cite No. ¹	Document Number		Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code ² (if known)				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				

FOREIGN PATENT DOCUMENTS

Examiner Initials'	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
		Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)				
		JP Laid Open No. Sho 64-003716	9/1/89	Shimadzu Corp.		
		JP Laid Open No. Hei 11-083865	26/3/99	Hitachi Ltd.		
		JP Laid Open No. 2000-200294	18/7/00	Rigaku Industrial Co.		

Examiner
SignatureDate
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard St.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitut

01 PE JC11

APR 21 2003

PATENT & TRADE

SALV

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid control number.				Complete if Known	
Substitute for form 1449B/PTO				Application Number 09/985,119	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Filing Date November 1, 2001	
(use as many sheets as necessary)				First Named Inventor ARAKE, AKIRA	
Sheet 2 of 2				Group Art Unit	
Examiner Name				Attorney Docket Number 520.40814X00	

[illegible]

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:** Assistant Commissioner for Patents, Washington, DC 20231.